


Model	Photo	Description	MSRP, USD
<b>Outdoor panels</b>			
<b>AA-05 v3 Hybrid</b>		This panel has an elegant design and also sounds perfectly (several polyphonic melodies). It is ideal for cottage village as well as for multi apartment house or office building. 3,5" colorful display. Metal body. IP-camera. EM-Marine card reader. Supports SIP.	\$737,0
<b>AA-07 v4</b>		This panel has an elegant design and also sounds perfectly (several polyphonic melodies). It is ideal for cottage village as well as for multi apartment house or office building. 3,5" colorful display. Metal body. IP-camera 1 MP. EM-Marine card reader. Supports SIP.	\$737,0
<b>AA-09 v4</b>		This panel has an elegant design and also sounds perfectly (several polyphonic melodies). It is ideal for cottage village as well as for multi apartment house or office building. 3,5" monochromic display. Metal body. IP-camera 1 MP. EM-Marine card reader. Supports SIP.	\$737,0
<b>BA-04 v3</b>		BAS-IP BA-04 was specially developed for installation on such projects as townhouses and duplexes, multi-apartment houses with 4 apartments on one floor, as well as office centers for several companies. Separate button for concierge calling. Supports SIP.	\$550,0
<b>BA-08 v3</b>		BAS-IP BA-08 was specially developed for installation on such projects as townhouses and duplexes, multi-apartment houses with 8 apartments on one floor, as well as office centers for several companies. Separate button for concierge calling. Supports SIP.	\$550,0
<b>AV-02 v3</b>		The case is made out of high-quality metal, has a glance polycarbonate cover, also has a high protection level IP-65 – this looks not only elegant but saves the panel from stressed conditions. Exclusive glance design. Call touch-button. Water-proof, can be installed outside. Supports SIP.	\$375,0
<b>AV-01 v3</b>		This individual outdoor panel differs much from the standard outdoor panels that are installed in the houses and flats by its perfect design and characteristics. Stylish modern design. Dust-proof case. Water-protected, can be installed on the street. Supports SIP.	\$355
<b>AV-01T v3</b>		This individual outdoor panel differs much from the standard outdoor panels that are installed in the houses and flats by its perfect design and characteristics. Stylish modern design. Dust-proof case. Water-protected, can be installed on the street. Card reader for EM-MARINE standart. Supports SIP.	\$375,0
<b>AV-01K v3</b>		AV-01K - is an individual outdoor panel which has excellent technical characteristics and beautiful design. One of the features of this panel - is keyboard for lock opening via code. In addition, AV-01K has a built-in camera? Which provides video output in D1 resolution. The protection class IP65 provides a durable work of AV-01K.	\$420,0
<b>AV-07T v3</b>		The touch button of this outside panel has a virtually unlimited number of taps. Due to its protection class IP65, this panel can be easily installed at the street without fear of heavy rain or dust. It has a double power supply, the standard and PoE, which will allow you to setup the panel in those places where there is no access to power, making it easy to install.	\$420,0

<b>AV-02IC</b> <b>AV-02FP</b>		This panel can be installed in special locations where you need to get the information help in the short term or emergency situation. It helps to organize feedback with dispatcher to request information or report the incident.	\$180,0
<b>Concierge monitor</b>			
<b>AM-01 v3</b>		Concierge monitor is made in the aluminium case and equipped with a handset for convenience of the tenants during the communication. There are shortcuts for the quick access to the most used function. Large 9" touch screen. Aluminium case. Hot keys to open the door and to view the video panels quickly. Messages receiving. Alarm. Supports SIP.	\$1 358,0
<b>Call stations</b>			
<b>CV-01</b>		These call stations designed to work within the system with operator monitor CM-01. Press call button, then call will come to the operator monitor, press alarm button and an alarm signal will be sent to operator monitor. The CV-01/CV-02 can operate in two modes: as a call station and as an individual outdoor panel with BAS-IP monitors.	\$390,0
<b>CV-02</b>		These call stations designed to work within the system with operator monitor CM-01. Press call button, then call will come to the operator monitor, press alarm button and an alarm signal will be sent to operator monitor. The CV-01/CV-02 can operate in two modes: as a call station and as an individual outdoor panel with BAS-IP monitors.	\$410,0
<b>CM-01</b>		Operator monitor which works in tandem with the call stations, CV-01 and CV-02. These are combined in the IP alarm system with feedback. This system is the perfect solution for places like parking, hospitals, factories and industrial plants – all those places where high-quality IP communications can help solve emerging problems.	\$1 430,0
<b>Video intercoms</b>			
<b>AK-10 v4</b>		This monitor for IP intercom system is equipped by the camera for realization of the video intercom function, has a possibility to connect the smart home system (control of the light, air conditions, curtains, sensors and valves) and wired alarm sensors. Large 10,2" touch screen. Connects up to 16 IP cameras. Supports SIP. Color White/Graphit.	\$707,0
<b>AQ-07 v4</b>		Only audio intercom function, has a possibility to connect the smart home system (control of the light, air conditions, curtains, sensors and valves) and wired alarm sensors. Large 7" touch screen. Connect up to 16 IP cameras. Supports SIP. Color White / Black.	\$420,0
<b>AP-07 L v3</b>		Individual monitor with PoE (power of ethernet), 7" touch screen, memory (SD cards up to 32 GB), view up to 16 IP cameras, photo frame or clock in standby mode, video player, home automation. Supports SIP protocol. Colors Black/Silver.	\$360,0
<b>AU-04 v4</b>		Individual monitor with PoE (power of ethernet), 4" touch screen, memory (SD cards up to 32 GB), address video intercom, view up to 16 IP cameras, photo frame or clock in standby mode, video player. Supports SIP protocol. Colors Black/white.	\$195,0
<b>AU-04 v4</b> <b>+ SP - AU</b>		Individual monitor with PoE (power of ethernet), 4" touch screen + phone, memory (SD cards up to 32 GB), address video intercom, view up to 16 IP cameras, photo frame or clock in standby mode, video player. Supports SIP protocol. Colors Black/white.	\$230,0

<b>SP-02</b>		P2P SIP phone with two buttons and concierge calling.	\$79,0
<b>Software</b>			
<b>MS-V3.0</b>		The software module for the management of the apartment complex. Key functions: real-time system verification, send text and picture messages, adding and deleting of access cards, etc.	free
<b>Additional equipment</b>			
<b>SIP-PBX-200</b>		SIP servers allow making internal and external calls from outdoor panels to internal monitors, to clients installed on the mobile phones or the PC and on the IP-phones both within the network and across the Internet anywhere in the world. Support up to 200 simultaneous connections.	\$555,0
<b>SH-20.8</b>		Switch 9 ports 10/100 Base-TX RJ-45 Auto-MDI/MDI-X, 8 PoE ports + 1 UpLink port PoE IEEE 802.3af	\$180,0
<b>SH-20.4</b>		Switch 5 ports 10/100 Base-TX RJ-45 Auto-MDI/MDI-X, 4 PoE ports + 1 UpLink port PoE IEEE 802.3af	\$85,0
<b>SH-20.16</b>		Switch 18 ports 10/100 Base-TX RJ-45 Auto-MDI/MDI-X, 16 PoE ports + 2 UpLink port PoE IEEE 802.3af	\$350,0
<b>SH-45</b>		Exit button	\$50,0
<b>SH-01</b>		EM-Marine Keychain	\$2,2
<b>SH-40</b>		Delay of opening the lock. Connects to both electromagnetic and Electromechanical locks. An adjustable time delay. Maximum current strength is 5 A	\$12,0
<b>UPS-DP/P</b>		Uninterruptible power supply for concierge monitor BAS-IP AM-01 and outdoor panels. Without the battery.	\$118,0
<b>BR-AV</b>		Bracket for surface-mounted with a visor for individual panels BAS-IP series AV. Dimensions: 121 x 197 x 71 mm	\$20,0
<b>BR-AA, BA</b>		Bracket for surface-mounted with a visor for individual panels BAS-IP series AA.	\$50,0